



10 Year Communicable Disease Report 2008 - 2017

| HIV/AIDS | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|----------------|------|------|------|------|------|------|------|------|------|------|
| HIV Infections | 38 | 41 | 71 | 63 | 59 | 60 | 55 | 49 | 52 | 62 |

| Class A | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|---|------|------|------|------|------|------|------|------|------|------|
| Anthrax | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Botulism, foodborne | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cholera | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Diphtheria | * | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Influenza A - novel virus | * | 8 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 |
| Measles | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meningococcal Disease | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| Middle East Respiratory Syndrome (MERS) | * | * | * | * | * | * | 0 | 0 | 0 | 0 |
| Plague | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rabies, human | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rubella (not congenital) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Severe Acute Respiratory Disease (SARS) | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smallpox | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tularemia | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Viral Hemorrhagic Fever (VHF) | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Yellow Fever | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Class B | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|---|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Amebiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Babesiosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Botulism, infant | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Botulism, wound | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brucellosis | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Campylobacteriosis | 47 | 48 | 34 | 34 | 27 | 29 | 24 | 28 | 32 | 18 |
| Chancroid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chlamydia infection** | * | 2,571 | 2,827 | 2,868 | 2,922 | 3,043 | 3,182 | 3,103 | 3,506 | 3,081 |
| Coccidioidomycosis | 0 | 3 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Creutzfeldt-Jakob Disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cryptosporidiosis | 16 | 6 | 2 | 5 | 1 | 1 | 0 | 7 | 31 | 18 |
| Cyclosporiasis | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cytomegalovirus - congenital (CMV) | 3 | 3 | 3 | 0 | 2 | 5 | * | * | * | * |
| Dengue Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. coli O157:H7 and other enterohemorrhagic E. coli | 10 | 6 | 3 | 6 | 21 | 5 | 7 | 0 | 0 | 0 |
| Ehrlichiosis/Anaplasmosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Giardiasis | 34 | 28 | 22 | 16 | 21 | 19 | 13 | 9 | 19 | 15 |
| Gonorrhea** | * | 1,055 | 1,330 | 1,175 | 1,138 | 1,164 | 968 | 1,079 | 1,417 | 1,317 |

10 Year Communicable Disease Report 2008 - 2017

| Class B (continued) | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|--|------|------|------|------|------|------|------|------|------|------|
| Haemophilus influenzae (invasive disease) | 9 | 11 | 11 | 16 | 13 | 10 | 4 | 14 | 12 | 13 |
| Hantavirus | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hemolytic Uremic Syndrome (HUS) | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 1 |
| Hepatitis A | 8 | 0 | 10 | 1 | 1 | 1 | 0 | 1 | 0 | 1 |
| Hepatitis B, acute/chronic | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ | 76 | 65 | 76 |
| Hepatitis B, perinatal | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis C, acute/chronic | ‡ | ‡ | ‡ | ‡ | ‡ | 499 | 630 | 644 | 435 | 493 |
| Hepatitis D (delta hepatitis) | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis E | * | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Influenza-associated hospitalization | * | 222 | 11 | 113 | 135 | 186 | 456 | 246 | 249 | 912 |
| Influenza-associated pediatric mortality | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| LaCrosse Virus Disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Legionnaires' Disease | 8 | 5 | 12 | 25 | 10 | 31 | 32 | 51 | 26 | 24 |
| Leprosy (Hansen Disease) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Leptospirosis | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Listeriosis | 0 | 2 | 2 | 2 | 1 | 1 | 0 | 1 | 0 | 0 |
| Lyme Disease | 1 | 1 | 0 | 0 | 1 | 5 | 9 | 4 | 5 | 3 |
| Malaria | 2 | 2 | 1 | 4 | 2 | 3 | 4 | 2 | 5 | 7 |
| Meningitis, aseptic/viral | 53 | 49 | 42 | 88 | 41 | 40 | 33 | 44 | 20 | 19 |
| Meningitis, bacterial | 9 | 9 | 7 | 10 | 10 | 11 | 11 | 9 | 9 | 13 |
| Mumps | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 24 | 4 |
| Mycobacterial Disease, other than tuberculosis (MOTT)*** | 36 | 28 | 27 | 30 | 38 | 35 | 30 | 33 | 19 | * |
| Pertussis | 11 | 27 | 37 | 3 | 32 | 185 | 73 | 50 | 45 | 92 |
| Poliomyelitis (including vaccine-associated cases) | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacosis | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Q Fever | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rocky Mountain spotted fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rubella (congenital) | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmonellosis | 55 | 38 | 58 | 40 | 54 | 35 | 57 | 68 | 75 | 52 |
| Shigellosis | 334 | 25 | 4 | 15 | 165 | 32 | 5 | 23 | 90 | 32 |
| Staphylococcus aureus, with resistance or intermediate resistance to vancomycin (VRSA, VISA) | 0 | 1 | 0 | 2 | 4 | 1 | 1 | 0 | 0 | 0 |
| Streptococcal Disease, group A, invasive | 8 | 10 | 16 | 27 | 19 | 11 | 24 | 20 | 33 | 43 |
| Streptococcal Disease, group B, newborn | 4 | 4 | 1 | 3 | 4 | 2 | 3 | 4 | 2 | 1 |
| Streptococcal toxic shock syndrome | 1 | 2 | 1 | 5 | 1 | 0 | 0 | 0 | 0 | 0 |

10 Year Communicable Disease Report 2008 - 2017

| Class B (continued) | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Streptococcus pneumoniae, invasive | 73 | 82 | 98 | 106 | 73 | 57 | 63 | 48 | 58 | 59 |
| Syphilis** | | | | | | | | | | |
| Congenital | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Primary | 1 | 4 | 1 | 4 | 3 | 5 | 1 | 8 | 11 | 7 |
| Secondary | 7 | 11 | 7 | 13 | 25 | 16 | 14 | 10 | 23 | 26 |
| Early Latent (< 1 year) | 11 | 9 | 6 | 16 | 21 | 15 | 12 | 19 | 20 | 30 |
| Late Latent (> 1 year) asymptomatic | 1 | 12 | 17 | 25 | 15 | 27 | 12 | 21 | 19 | 21 |
| Late with symptoms (not neurosyphilis) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Late with clinical manifestations (including late benign syphilis and cardiovascular syphilis) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Unknown Latent | 5 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Total | 25 | 36 | 31 | 59 | 66 | 63 | 39 | 58 | 74 | 87 |
| Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Toxic shock syndrome | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Trichinosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuberculosis | 8 | 10 | 6 | 8 | 8 | 11 | 10 | 6 | 6 | 4 |
| Typhoid fever | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Typhus fever *** | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * |
| Varicella | 23 | 9 | 3 | 16 | 7 | 3 | 7 | 5 | 3 | 6 |
| Vibriosis | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| West Nile virus infection | * | 0 | 1 | 1 | 2 | 0 | 0 | 1 | 0 | 0 |
| Yersiniosis | 3 | 1 | 4 | 1 | 1 | 1 | 4 | 1 | 0 | 1 |
| Zika | * | * | * | * | * | * | * | * | 3 | 0 |

| Class C - Outbreaks | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|-----------------------|------|------|------|------|------|------|------|------|------|------|
| Community | * | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Foodborne | * | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| Healthcare-associated | * | 3 | 2 | 0 | 1 | 2 | 0 | 4 | 0 | 0 |
| Institutional | * | 2 | 1 | 2 | 4 | 1 | 1 | 3 | 5 | 5 |
| Waterborne | * | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| Zoonotic | * | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

* Indicates data not available or no longer reported

** Chlamydia, Gonococcal Infections, and Syphilis cases may be adjusted depending on data received from ODH

*** Typhus fever and Mycobacterial disease, other than Tuberculosis not reportable after September 2016

† Data not available due to data entry error at the state level